

**Verification of  
Efficiency Vermont's  
Energy Efficiency Portfolio  
for the ISO-NE  
Forward Capacity Market**

**Final Report**

**Prepared for the  
Vermont Department of  
Public Service**

**January 25, 2012**

**Prepared by  
West Hill Energy and Computing, Inc.  
205 Main Street  
Brattleboro, VT**

**with Lexicon Energy Consulting,  
Cx Associates, GDS Associates, Energy Resource Solutions and Carole Welch**

## Table of Contents

1	Introduction.....	1
2	Process .....	2
3	Methods.....	3
3.1	Sampling.....	3
3.1.2	Stratification.....	5
3.2	Analysis and Calculation of Realization Rates .....	6
3.3	Attrition .....	6
4	Results.....	8
4.1	Cross-Program Issue .....	11
4.2	Custom C&I Results.....	11
4.3	C&I Stipulated Lighting.....	13
4.4	Residential Results .....	13
4.5	Compliance with ISO-NE Standards.....	14
5	Conclusions.....	16
6	References.....	16

## **List of Appendices**

- Appendix A: Table of Realization Rates by Project
- Appendix B: Sampling Plan Memo
- Appendix C: Blended C&I Prescriptive Coincidence Factors
- Appendix D: Cooling Bonus Memo
- Appendix E: Individual Project Reviews and Results

## 1 Introduction

In 2006, the Independent System Operator of the New England electric grid (ISO-NE) created a Forward Capacity Market (FCM) to ensure that the region has sufficient capacity to meet its peak demand needs. This market-based initiative allows for demand resources, including energy efficiency, to compete directly with generation resources to provide capacity. In order to participate in the market, providers of energy efficiency resources must demonstrate that their efficiency savings are verified in compliance with the ISO-NE standards established for this purpose.<sup>1</sup>

Efficiency Vermont (EVT) and Burlington Electric Department (BED) bid their respective efficiency program portfolios into the forward capacity market, and submitted detailed measurement and verification (M&V) plans that delineated how the evaluation process in Vermont will comply with ISO-NE standards. In both evaluation plans, the Vermont Department of Public Service (Department) was charged with conducting the independent evaluation required by the ISO-NE standards.

The methods available to the Department to evaluate EVT and BED's FCM claims are circumscribed by both the ISO-NE standards and the EVT and BED M&V plans. These standards are designed to result in a high degree of reliability for the resources purchased through the forward capacity market and represent a far more rigorous type of evaluation than has previously been conducted on Vermont's efficiency portfolios.

West Hill Energy and Computing was retained by the Department to provide independent verification of the custom commercial and industrial (C&I) efficiency initiatives for EVT and BED within the context of the FCM. With the assistance of four engineering firms, Cx Associates, GDS Associates, Lexicon Energy Consulting and Energy Resource Solutions, West Hill Energy implemented the M&V Plan, including providing statistical analysis, site-specific M&V and overall impact evaluation of EVT's efficiency portfolio.

This report describes the evaluation of EVT's FCM bid and the results of this verification process. It also provides the documentation to support the Annual Certification of Accuracy of Measurement and Verification Documents, as specified Section 14.2 in the ISO Manual (M-MVDR, Revision 2, June 1, 2010) and in Section 12-B of EVT's M&V Plan (June 15, 2008).

The evaluation was designed to determine the appropriate realization rates to be applied to EVT's estimated savings. When applied, the resulting savings represent EVT's verified savings. The realization rates given in this document will be used to adjust EVT's savings reported to NE-ISO for the FCM from July 1, 2011 until the completion of the next evaluation cycle.

The realization rates presented in this document were provided to Efficiency Vermont in July of 2011, and have been in use since that time. The remainder of this report is divided into the following sections: process, methods, results and conclusions. The components of EVT's portfolio are described in EVT's 2009 Annual Report.<sup>2</sup>

---

<sup>1</sup> ISO New England Manual for Measurement and Verification of Demand Reduction Value from Demand Resources Manual M-MVDR, Revision: 2, Effective Date: June 1, 2010, pg. INT-3

<sup>2</sup> Efficiency Vermont Annual Report 2009, Fall, 2010; available at [www.encyvermont.com](http://www.encyvermont.com).

## 2 Process

As with the initial FCM evaluation completed in 2010, the Department had the primary responsibility the overall management of the verification process, including development and implementation of the sampling plan and final verification of each project in the sample. The C&I projects were stratified by project type (retrofit versus new construction/market opportunity) and by the size of the project in terms of the claimed kW peak reduction. For the projects that fell into the randomly selected strata, the Department's contracted engineers reviewed the project documentation, developed metering plans where appropriate, installed and retrieved the meters, analyzed the meter data, and calculated the verified savings.

EVT conducted metering of the very large projects in the census strata and provided the metered data to the Department for analysis. Each large project was also assigned to a review engineer on the Department's evaluation team. The process included a collaborative approach to the development of site-specific metering plans, with input from the Department's contracted engineers and from EVT. The engineer assigned by the Department reviewed EVT's project documentation, analyzed any metering data that was collected by EVT, and independently calculated the verified savings for the project. Based on the study conducted by RLW Analytics<sup>3</sup> regarding load shapes for commercial lighting, lighting applications that could use stipulated coincidence factors were identified and these projects did not need to be metered.

The verified savings were independently calculated for each project (large, medium and small) in the sample. Site-specific project reports were developed, and sent to EVT to provide an opportunity for clarification and a final check for errors and omissions. The project reports were then finalized and are included in Appendix E of this report. The project-specific realization rates are listed in Appendix A.

---

<sup>3</sup> *Coincidence Factor Study Residential and Commercial & Industrial Lighting Measures.*

Prepared for New England State Program Working Group (SPWG) by RLW Analytics, Middletown, CT. Spring, 2007

### 3 Methods

Efficiency Vermont bid its entire portfolio of energy efficiency initiatives into the FCM. The different initiatives and the verification approach are summarized in Table 1.

**Table 1: FCM Sampling Strategy by EVT Initiative**

<b>EVT Initiative</b>	<b>FCM Verification Sampling Strategy</b>	<b>ISO M&amp;V Option</b>
<i>C&amp;I and Multifamily</i>		
Custom Retrofit	Sample selected per ISO standards	Options A through D
Custom NC/MOP	Sample selected per ISO standards	Options A through D
<i>Custom Customer Credit</i>	All projects reviewed	Options A through D
<i>Stipulated Lighting</i>	No sampling; stipulated coincidence factors were applied	Option A
<i>Residential</i>		
Prescriptive Lighting	Prescriptive assumptions, no sampling necessary	Option A
Prescriptive HVAC	Prescriptive assumptions, no sampling necessary	Option A
Prescriptive Other eShapes	Prescriptive assumptions, no sampling necessary	Option A
Prescriptive Other non-eShapes	Prescriptive assumptions, no sampling necessary	Option A

West Hill Energy and Computing, Inc. conducted the evaluation of the custom C&I sector. This component of the evaluation involved drawing a sample of projects and conducting the metering and analysis. The realization rates for the C&I sector are based on EVT's activity in program year 2009.

The verified residential sector savings were almost entirely prescriptive, using assumptions that have been reviewed by the DPS and included in EVT's "Technical Reference Manual" (TRM). With the application of the coincident factors from the recent studies by RLW Analytics, the residential prescriptive measures met the standard described in EVT's M&V plan. No sampling was necessary for the residential sector. The realization rates for the residential sector were calculated for each program year, due to the variety of issues that arose during the different periods.

#### 3.1 Sampling

The sampling plan for the C&I projects is attached to this report as Appendix B. The sample frame consisted of all projects completed and claimed during 2009. Sample sizes were designed to support stratified ratio estimation. The sampling plan was established based on the

sampling strategies used in previous years. The guidelines for the program year 2009 savings verification (SV09) sampling process are listed below.

- The primary sampling unit was the project. All measures associated with the project were reviewed (with the exception of lighting measures with stipulated savings for the three lower stratum).
- The primary sampling variable for establishing the size strata was the higher value of the kW peak reduction, either winter or summer.
- Sampling was conducted separately for two broad categories of initiatives, i.e., retrofit and MOP/new construction. Multifamily projects were included with the C&I projects.
- The sample size for each broad category of projects was set at a level designed to exceed the minimum required to estimate savings at the 80/10 confidence/precision level, based on an error ratio of 0.50.
- Projects with stipulated lighting measures only were excluded from the sample, except for those stipulated lighting measures and projects that fell into the "very large" stratum.
- The samples were checked to ensure that lighting savings were roughly proportional to the initiatives as a whole.
- Stratification by project size was conducted, resulting in a total of four size strata for each of the two broad categories of projects.
- A census of the largest projects in the each broad category was reviewed.
- Weighting was done on the basis of the number of projects.
- The cut offs for the strata and sample sizes within each stratum were determined according to the methodology presented in the California Evaluation Framework.
- Projects with maximum kW reduction less than 0.80 kW were removed from the sampling frame.

The next subsections cover the changes made between the previous and current evaluations and describe the stratification strategy.

### **3.1.1 Differences between the 2007/2008 and 2009 Sampling**

Overall, the sampling process was simplified for SV09, as described below.

- In the FCM evaluation for program years 2007 and 2008, the primary sampling unit was the project/end use, and only measures within the selected end use were reviewed. In SV09, sampling was conducted by project, facilitating a comprehensive review of each project.
- The 2007/2008 sampling was done in two stages, with the initial one covering all of 2007 and the first four months of 2008 and the second stage including the remainder of the year. In addition, sampling of some retrofit projects was done prior to the completion of the project. The SV09 sampling was done once for the entire year, following the completion of the projects and EVT's end-of-the-year review.
- The 2007/2008 sample was further stratified according to whether the kW peak was predominantly seasonal (winter v. summer/not seasonal). This SV09 sample was stratified only by broad program category and size.
- The cut offs for the strata were determined prior to the actual sample selection in the 2007/2008 FCM evaluation, resulting from the staged sampling strategy. For SV09, the

cut offs were established as part of the sampling process in accordance with the California Evaluation Framework.

### 3.1.2 Stratification

The stratification variables, issues associated with those variables, and the final stratification approach are summarized in Table 2. The primary stratification variable was the higher of the two estimates of coincident peak reduction (summer and winter) for each sampling unit (project and end use). The higher of the two coincident peak values is referenced as "max kW" throughout the rest of this document. Any project/end use with an estimated maximum peak reduction of less than 0.8 kW was omitted from the sample as too small to evaluate.

**Table 2: Summary of Sampling Approach and Stratification Plan**

Stratification Variable	Issues	Stratification Categories
<b>Type of Market</b>	1) Baselines are defined according to whether the project is retrofit or NC/MOP. 2) Retrofit projects may require pre-installation metering.	Two categories: Retrofit and NC/MOP
<b>Project Size</b>	1) Small, medium and large projects tend to generate different types of errors and uncertainties. 2) FCM bid is for both summer and winter peak demand reduction, so the defining the size of the projects is not straightforward.	Four categories: small, medium, large, and very large, based on the higher of the winter or summer peak reduction (“max kW”)

The stratification approach was the same for the entire sample. Each element of the stratification plan is described in more detail below.

**Sampling unit:** The sampling unit was the project. Once the project was selected, the DPS team attempted to conduct a comprehensive verification of all measures associated with the project. In some cases, individual end uses representing a small portion of the total project savings were dropped.

**Market Type:** Samples were selected separately for two broad program groups:

- retrofit projects
- market opportunity (MOP) and new construction (NC) projects

This division was based on the difference in baseline for the two broad category of projects, where retrofit savings are based on the pre-existing conditions and NC/MOP savings are based on code, federal or state standards, or standard practice. The retrofit projects included C&I retrofit, farm, low income and market rate multifamily and the



Lighting Plus initiatives. The MOP and NC projects include custom MOP, non-lighting prescriptive MOP projects, and new construction.

Size: Size categories are used to ensure that the sample was representative of the population. Table 3 shows the size categories for retrofit and for NC/MOP projects.

**Table 3: Stratification by Size**

	Size Stratum	Min (Higher KW Reduction)	Max (Higher KW Reduction)
Retrofit	0	0.006	0.799
Retrofit	1	0.801	6.077
Retrofit	2	6.104	15.162
Retrofit	3	15.910	37.245
Retrofit	4	37.338	350.045
MOP/NC	0	-0.172	0.798
MOP/NC	1	0.800	4.651
MOP/NC	2	4.681	13.944
MOP/NC	3	14.088	27.925
MOP/NC	4	29.514	142.611

### 3.2 Analysis and Calculation of Realization Rates

The realization rates were calculated according to the method described in detail in the California Evaluation Framework,<sup>4</sup> based on comparing EVT's original claimed savings to the Department's verified FCM savings. The realization rates presented in the document are based on EVT's activity in program year 2009, unless otherwise noted.

### 3.3 Attrition

As is common in conducting field work, some projects were selected through the sampling process but could not be verified for a variety of reasons. For the randomly-selected (smaller) projects, the attrition rate was quite low, as 32 of the selected 34 projects were verified. The small number of projects removed from the sample (about 6%) suggests that eliminating these projects was unlikely to introduce bias to the results.

The very large projects (census strata) turned out to be more problematic, with 30 of the 40 projects verified. EVT was responsible for conducting the metering for very large projects. The reasons for removal are explained below.

- Two participants chose not to cooperate with the metering process.

<sup>4</sup> TecMarket Works, et. al. *The California Evaluation Framework*. Project Number: K2033910. Prepared for the California Public Utilities Commission and the Project Advisory Group. June, 2004. Pages 327 to 339 and 361 to 384.

- Metering was conducted for three projects, but critical information required for the verification was not available.
- For three projects, alternative methods were identified for verification, but the DPS evaluation team concluded that the available information did not support an ISO-compliant analysis.
- Two projects identified by EVT and the Department for direct measurement were not successfully metered by EVT within the required time period and no other method was available.

Table 4: below lists the peak demand savings for projects that were not verified and those that were verified.

**Table 4: Disposition of Very Large Projects**

Reason	Number of Projects	Winter Peak KW Savings	Summer Peak kW Savings
Verification Completed	30	1,506	2,056
Projects not verified	10	422	434
Total Very Large Projects	40	1,928	2,490

The possibility of bias resulting from the removal of these large project was investigated through conducting a sensitivity analysis. Ten projects were randomly selected from the thirty (30) verified large projects, and the realization rate calculated. The simulation was run 1,000 times and the results were compared, as described below.

- By comparing the kW reduction associated with the dropped projects to the verified projects indicates that a difference of about 0.25 in the realization rate for the dropped projects would result in a change of about 2% in the overall realization rate for the C&I custom portfolio. Over 94% of the simulations resulted in a realization rate for the ten random very large projects that fell with 0.25 of the value for the verified very large projects.
- The average realization rate for the simulation of the ten randomly-selected very large projects fell within 0.05 of the realization for the verified projects, suggesting that the realization rates for ten unverified projects would have to be radically different from the very large verified projects to achieve a difference of 0.25 or more.

Given the results of this sensitivity analysis and the fact that EVT used the same strategies and QC process for estimating savings from both the unverified and verified projects, it seems unlikely that the realization rate for the ten unverified projects would be more than 0.25 above or below the realization rate for the verified projects, suggesting that bias due to the removal of these projects from the calculation of the realization rate is quite small or nonexistent.

The sampling weights were adjusted for non-response using poststratification to ensure that the results of the analysis were correctly applied to the population.<sup>5</sup>

<sup>5</sup> *Sampling: Design and Analysis*. Lohr, Sharon L. Duxbury Press, 1999, pages 268-269.

## 4 Results

To determine the realization rates and calculating relative precision, EVT's portfolio was divided into components based on the verification strategy and source of the coincident peak factors. Each of these components is defined below.

**Custom Retrofit:** This category includes projects associated with EVT's retrofit initiatives in the business and multifamily sectors. Peak demand savings were determined through sampling and verified by the Department of Public Service as part of the C&I custom evaluation. Measures using stipulated coincidence factors from the RLW lighting study were removed from the sample frame.

**Custom NC/MOP:** Projects associated with EVT's new construction and market opportunities initiatives in the business and multifamily sectors are covered in this component of EVT's portfolio. The same process for verification was used as described above for the C&I retrofit component of EVT's portfolio.

**Customer Credit:** The Customer Credit program encompasses the efficiency improvements at a large industrial firm. The firm installs the efficiency measures and provides documentation to EVT. Customer credit projects were verified in the 2007/2008 evaluation cycle and the realization rates determined from that evaluation were applied to the 2009 projects. The 2007/2008 evaluation was conducted in 2010 (within the last five years) and meets the rigorous ISO-NE standards for FCM. In addition, the process for implementing and claiming the Customer Credit projects remained consistent from 2007 through 2009.

**Stipulated Lighting:** Custom and prescriptive lighting measures in business types covered by the RLW Lighting Study prepared for the NE utilities in accordance with ISO-NE FCM guidelines.

**C&I Measures Not Sampled:** These are the very small C&I custom projects (winter and summer peak kW of less than 0.80 kW). Given that these projects in aggregate represented a small percentage of EVT's portfolio (less than 1%) and would be just as costly to verify as other projects, they were excluded from the C&I sample frame. The weighted average realization rate from the C&I Retrofit and NC/MOP components was applied these measures. Since EVT uses the same procedures for estimating savings and conducting QC for these projects as the sampled projects, it seems reasonable to apply the same realization rate.

**Residential Prescriptive Lighting:** This component represents the lighting products sold through the Efficient Products Program. The source of the coincidence factors is the RLW Analytics lighting study (2007).

**Residential Prescriptive Lighting with Cooling Bonus:** This component represents the percentage of lighting products sold through the Efficient Products Program that were purchased by commercial establishments, which are assumed to have air conditioning and, thus, lower cooling consumption due to the reduction in internal gains from the

efficient lighting. The source of the coincidence factors is the RLW lighting study (2007).

Residential Prescriptive HVAC: Efficient air conditioners are also offered through the Efficient Products initiatives. The source of the coincidence factors is the RLW Analytics residential HVAC study (2008).

Residential Prescriptive Other eShapes: The Efficient Products initiative also includes a range of other Energy Star appliances and electronics, including dishwashers, clothes washers, and refrigerators. In addition, some prescriptive measures are installed through the residential custom initiatives, including hot water conservation measures and fuel switches. For these measures, the coincidence factors were developed from Itron's eShapes, discussed in more detail below.

Residential Prescriptive Other non-eShapes: These measures include a few other miscellaneous products offered through the Efficient Products initiative (such as dehumidifiers), as well as a limited number of items installed through the residential custom initiatives, such as DHW pipe insulation and tank wraps. These coincidence factors were based on engineering estimates, as discussed further below.

The realization rates and relative precision for all components of EVT's portfolio are provided in Table 5 and Table 6. The ISO standards require sampling precision at the 80/10 confidence/precision level for the entire portfolio. The relative precision of EVT's portfolio is 7.1% for winter peak kW reduction and 6.3% for the summer peak at the 80% confidence level, substantially exceeding the ISO requirement.

**Table 5: Realization Rates and Sampling Precision for Winter Peak kW Reduction**

	Original EVT Claimed Peak kW Reduction	Realization Rate	Savings as % of Total Portfolio	Relative Precision
C&I and Multifamily				
C&I Custom Retrofit	3,255	68.2%	20.4%	13.2%
C&I NC/MOP	1,615	80.2%	10.1%	29.1%
C&I Customer Credit	1,802	82.0%	11.2%	0.0%
Stipulated Lighting	1,462	100.0%	9.1%	9.3%
C&I Custom Retrofit Not Sampled	52	68.2%	0.3%	13.2%
C&I NC/MOP Not Sampled	44	80.2%	0.3%	29.1%
Residential				
Prescriptive Lighting	5,387	103.3%	33.7%	15.8%
Prescriptive Lighting w/Cooling Bonus	1,771	74.5%	11.1%	15.8%
Prescriptive HVAC	0	100.0%	0.0%	0.0%
Prescriptive Other eShapes	536	95.8%	3.3%	50.0%
Prescriptive Other non-eShapes	72	113.0%	0.5%	0.0%
Totals	15,996	87.5%		7.1%

**Table 6: Realization Rates and Sampling Precision for Summer Peak kW Reduction**

	<b>Original EVT Claimed Peak kW Reduction</b>	<b>Realization Rate</b>	<b>Savings as % of Total Portfolio</b>	<b>Relative Precision</b>
C&I and Multifamily				
C&I Custom Retrofit	3,665	73.4%	27.6%	8.9%
C&I NC/MOP	2,227	77.8%	16.8%	21.8%
C&I Customer Credit	582	83.1%	4.4%	0.0%
Stipulated Lighting	1,737	100.0%	13.1%	3.7%
C&I Custom Retrofit Not Sampled	69	73.4%	0.5%	8.9%
C&I NC/MOP Not Sampled	46	77.8%	0.3%	21.8%
Residential				
Prescriptive Lighting	1,480	103.3%	11.1%	17.6%
Prescriptive Lighting w/Cooling Bonus	2,954	73.8%	22.2%	17.6%
Prescriptive HVAC	69	30.8%	0.5%	10.4%
Prescriptive Other eShapes	343	94.6%	2.6%	50.0%
Prescriptive Other non-eShapes	120	109.3%	0.9%	0.0%
Totals	13,291	82.1%		6.3%

For the C&I custom sample, the relative precision was calculated from the sample. The two studies done by RLW Analytics (lighting and residential HVAC) specified the relative precision for the coincidence factors. In some cases, the relative precision was estimated based on the available information, as discussed below.

- The coincidence factors for the stipulated lighting were taken from the RLW study; the relative precision shown in the tables above was the highest value for the various business types.
- The coincident factors for a variety of small residential measures were based on Itron's eShapes 8760 load profile data, developed from audits of approximately 20,000 homes in the 1990's.<sup>6</sup> While the load profiles are based on older data, the extensive nature of the data collection would be extremely costly to reproduce for measures that represent less than 3% of EVT's portfolio. The relative precision could not be determined, so a proxy value of 0.50 was used. Given the large sample size, this proxy value is assumed to be substantially larger than the actual relative precision.
- For a few other residential measures, the load profiles were based on engineering assumptions and the relative precision could not be determined. These coincident factors were reviewed and found to be within a reasonable range. Since no sampling was conducted, there is no sampling error associated with these measures. These measures constitute a very small percentage of EVT's overall portfolio (less than 1%).

<sup>6</sup> About half of the roughly 20,000 audits were conducted on site, with the remainder based on a mail survey. Building simulations were performed based on the data collected through the audits to determine the load profiles. Overall, the audits were distributed throughout the country, although some states and utilities had more audit activity than others.

The residential lighting savings are composed of three components with values derived from two different studies (NMR, 2004 and RLW, 2007). Each component has a relative precision associated with it. The overall precision was calculated using the method described in EVT's M&V Plan.<sup>7</sup> The in-service rate (ISR) and delta Watts were estimated from the same sample, and thus the worst-case precision was estimated as if the factors were perfectly correlated, i.e., the combined precision was additive. The RLW and NMR studies were sampled independently, allowing the combined precision from the NRM and RLW studies to be calculated by the following formula:

$$P = \sqrt{(P_{NMR}^2 + P_{RLW}^2)}$$

The relative precision in the NMR study was report at the 90% confidence level. These values were assumed to be a worst case scenario for the FCM requirement of precision at the 80% confidence level. The NMR precision values are the same as used in EVT's M&V Plan submitted to ISO-NE.<sup>8</sup>

The combined precision for the ISR and delta Watts from the NRM study was 10.8%. The precision for the RLW coincidence factors was reported to be 4.5% and 6.1% at the 80% confidence level for winter and summer, respectively.<sup>9</sup> Thus, the combined relative precision for the prescriptive residential lighting was calculated to be 15.8% and 17.6% for winter and summer peak demand reductions.

The remainder of this section covers one issue affecting multiple programs, custom C&I results, C&I stipulated lighting results, residential results and timing issues.

#### 4.1 Cross-Program Issue

One correction affected multiple programs. The assumed impact of lighting power reduction on air conditioning loads in C&I measure tracks (cooling bonus) was modified to reflect current A/C efficiencies and be consistent with the method described in the RLW Analytics lighting study. EVT also used the same approach to estimate the cooling bonus for commercial purchases made through the Efficient Products Program. Please refer to Appendix D for the assumptions used in the calculation of the Department's verified savings. This minor adjustment was made and is reflected in the realization rates presented above.

#### 4.2 Custom C&I Results

Table 7 through Table 10 provide the realization rates and population for the projects in the EVT portfolio. Stratum 1 contains the smallest projects and Stratum 3 the largest. (Please refer to Section 3.1.2 for the definition of the size categories.)

<sup>7</sup> Vermont Efficiency Portfolio: Plan for Measurement and Verification of Demand Reduction Value from Energy Efficiency Resources. Prepared by the Vermont Energy Investment Corporation for submission to ISO New England. June 15, 2007. Pages 7-4 to 7-5.

<sup>8</sup> As noted in Efficiency Vermont's M&V Plan (page 7-4), in some cases a single value was selected where the NMR report had the results broken out into segments by technology. The selected value was chosen as a conservative estimate of the precision for the combined applications.

<sup>9</sup> RLW Lighting Study, 2007, pages 13 and 14.

**Table 7: Realization Rates for Custom C&I Retrofit for Winter kW Peak**

Size Stratum	Total # of Projects	Completed Projects in Sample	Mean of EVT Claimed kW	Mean of DPS Verified kW	Realization Rate
1	251	6	5.21	3.57	0.68
2	88	6	6.32	4.54	0.72
3	43	5	19.26	9.23	0.48
4	23	17	69.46	55.05	0.79
Total	405	34			0.68

**Table 8: Realization Rates for C&I MOP/New Construction for Winter kW Peak**

Size Stratum	Total # of Projects	Completed Projects in Sample	Mean of EVT Claimed kW	Mean of DPS Verified kW	Realization Rate
1	180	4	1.54	1.01	0.65
2	73	4	8.48	9.41	1.11
3	33	5	16.81	10.22	0.61
4	17	12	27.00	20.11	0.74
Total	303	25			0.80

**Table 9: Realization Rates for Custom C&I Retrofit for Summer kW Peak**

Size Stratum	Total # of Projects	Completed Projects in Sample	Mean of EVT Claimed kW	Mean of DPS Verified kW	Realization Rate
1	251	6	4.97	3.96	0.80
2	88	5	7.71	7.24	0.94
3	43	5	17.30	10.93	0.63
4	23	16	86.99	58.29	0.67
Total	382	32			0.73

**Table 10: Realization Rates for C&I MOP/New Construction for Summer kW Peak**

Size Stratum	Total # of Projects	Projects in Sample	Mean of EVT Claimed kW	Mean of DPS Verified kW	Realization Rate
1	180	4	1.15	2.14	1.86
2	73	5	7.84	7.41	0.94
3	33	6	20.11	11.36	0.57
4	17	12	49.72	27.13	0.55
Total	303	27			0.78

As can be seen from Tables 5 and 6, the realization rates by market sector range from a low of 68% to a high of 80%. As discussed earlier, some of this reduction is due to systematic

corrections to the measure portfolio. Some of the other common reasons for the difference in realization rates are listed below.

- The equipment was not operating as expected.
- Operating schedules were found to be different from what the participant reported to EVT.
- Assumptions about the use of baseline equipment were found to be different than expected.

These types of adjustments are commonly found in the process of conducting an impact evaluation. The realization rates by project are provided in Appendix A and the project-specific reports are compiled in Appendix E.

### **4.3 C&I Stipulated Lighting**

The RLW lighting study was used as the source for coincidence factors for custom and prescriptive C&I lighting, as appropriate. EVT and the Department reviewed the RLW study and agreed to apply the findings to the following business types:

- Grocery
- Medical (Hospital)
- Office (including medical office)
- Restaurant
- Retail
- Warehouse (excepting 24 hour distribution centers)
- Multifamily – residential spaces

EVT developed blended coincidence factors for C&I prescriptive lighting based on the historical distribution of business types that participated in the C&I prescriptive lighting initiative. This analysis was reviewed and approved by the Department and is described in Appendix C.

For the 2009 installations, EVT reviewed the custom C&I projects and determined the business type. These designations were provided to the Department and the measures were removed from the Department's sample frame for the C&I custom verification, with the exception of large projects. Any project with summer or winter peak savings of 35 kW or more was included in the large project stratum of Department's sample and reviewed on an individual basis.

The other major inputs into the kW reduction are the connected load kW reduction and the fixture counts. EVT conducted QC on all C&I projects, including a peer review process for projects with substantial savings. In general, EVT used manufacturers' spec sheets or default assumptions to estimate the change in the kW. The default values have been reviewed by the Department and found to be reasonable and consistent with industry standards. As indicated in EVT's M&V plan, the fixture counts in EVT's central data tracking system are assumed to be correct and without bias.

### **4.4 Residential Results**

The prescriptive residential measures in EVT's portfolio are described in the TRM submitted as part of the EVT's M&V Plan. For the prescriptive lighting products, the reduction in Watts and in-service rates are based on the results of a market research conducted by Nexus



Marketing Research.<sup>10</sup> This was a regional study prepared for the New England Energy Efficiency Partnership (NEEP). Verified lighting coincidence factors were based on the recent RLW lighting study (2007) and A/C coincidence factors were based on the RLW study of residential room air conditions conducted in 2008.<sup>11</sup> In addition, the Department and EVT agreed to modify the assumptions used to determine the savings from commercial applications of EP lighting purchases, resulting in lower savings for these purchases. Please refer to the Department's verification report for PY 2009 for further details.

Errors in the application of the prescriptive assumptions were identified through the Department's annual savings verification process, and these corrections were incorporated into the realization rates. In addition, a small adjustment was made to residential custom measures. Savings associated with the following measures were adjusted:

- Energy Star A/C
- Early replacement refrigerators and freezers
- Efficient computer equipment
- Direct Install CFL's
- Residential custom refrigeration and electric space heating efficiency

These issues are detailed in the Department's report to the Energy Efficiency Utility Contract Administrator for program year 2009.

#### 4.5 Compliance with ISO-NE Standards

This section covers the compliance of the verification results with the ISO-NE standards. For the residential prescriptive measures, the assumptions are supported by recent, statistically sound studies. For the custom C&I projects, an individual M&E plan was developed for each project that was consistent with the ISO requirements. Most of the ISO requirements are directly relevant to the C&I custom sample and are discussed in that context. The ISO requirements are listed in reference to the section in the manual.

Section 6, Establishing Baseline Conditions: As specified in the manual, the baseline conditions for retrofit projects are the pre-existing conditions. If the pre-existing conditions could not be determined, then the applicable state code, federal product efficiency standard or standard practice (if more stringent than the state or federal requirement) should be used. For market opportunity projects, the baseline is the applicable state code, federal product efficiency standard or standard practice (if more stringent than the state or federal requirement).

These principles were consistently applied to the custom C&I projects and documented in the individual project reports. In a few cases, there was no clear code or standard. In these situations, the Department's evaluation team researched the standard practice and developed the baseline using the best available information.

---

<sup>10</sup> *Impact Evaluation of the Massachusetts, Rhode Island, and Vermont 2003 Residential Lighting Programs*. Nexus Market Research and RLW Analytics, 2004

<sup>11</sup> *Coincidence Factor Study Residential Room Air Conditioners*. Prepared for the Northeast Energy Efficiency Partnerships' New England Evaluation and State Program Working Group by RLW Analytics, Middletown, CT. June 23, 2008

Section 7, Statistical Significance: For engineering-based, direct measurement, the ISO manual required strategies to control for bias, such as the accuracy and calibration of the measurement tools, sensor placement bias, and sample selection bias or non-random selection of equipment and/or circuits to monitor. The site-specific M&V plans described the relevant issues for each project and discussed the methods used to mitigate bias. Random sampling was conducted for all projects with too many circuits or measures to meter. These issues are described in more detail in the site-specific project reports.

In Section 7.2, the manual requires that the overall portfolio meet the 80/10 confidence/precision standard. As discussed above, the verification of EVT's portfolio exceeds that standard with a precision of 7.1% and 6.3% for winter and summer peak reduction, respectively.

This section also discussed the need to minimize bias. Bias relating to the three components of EVT's portfolio that make up 95% or more of the peak kW reduction is explored briefly below.

- For the C&I custom sample (Retrofit, NC/MOP and Customer Credit), a potential source of bias was the removal of some large projects that could not be verified to the ISO standard, as explained in more detail in Section 4.2 above. A sensitivity analysis indicated the inclusion of unverified large projects is unlikely to affect the results.
- The estimated savings for residential prescriptive lighting are unlikely to be biased since the deemed savings are based on recent market studies.
- The use of the RLW coincidence factors for the stipulated C&I lighting is appropriate since there are many stipulated lighting projects covering a wide variety of applications and the RLW sample also included a broad range of applications. Thus, the application of the RLW coincidence factors to the stipulated C&I lighting projects would not be expected to introduce a bias.

Section 10, Measurement Equipment Specifications: The Department used RLW's *Review of ISO New England Measurement and Verification Equipment Requirements* (April 24, 2008) to identify the ISO-compliant metering equipment. In some cases, approved metering equipment was used at the lower boundary of the range of kW or current as there was no alternative equipment that met the ISO standard.

In these cases, the Department's evaluation team carefully reviewed the results and assessed the validity of the data to decide whether or not the project could be verified. If the evaluator concluded that the data could be used to develop reliable estimates without introducing an unacceptable level of uncertainty to the results, the project was kept in the sample; otherwise it was dropped. A number of the large projects were determined to be unverifiable through this process. These situations are clearly discussed in the individual project reports.

Section 5, Acceptable Measures and Verification Methodologies: This section describes the specific allowable methods, Options A through D. Engineering algorithms are permitted if supplemented with on-site data collection. Verifiable load shapes may be applied if based on "actual metering, load research, and/or simulation modeling" (Section 5.4.2).

For the residential prescriptive measures, Option A was applied, using verifiable load shapes and assumptions based on recent, statistically sound studies as discussed above. The recent RLW studies for lighting and HVAC prepared for NEEP cover the vast majority of the residential prescriptive savings. The other measures used either Itron's eShapes or engineering estimates, as described in above in this section. While the Itron eShapes are based on data that is over five years old, they also represent a highly detailed survey of residential use that would be impossible to duplicate within a reasonable time frame and budget. The kW reduction estimated by the use of engineering algorithms account for less than 1% of the total portfolio, and thus the greater uncertainty associated with the load profiles was considered to be acceptable.

## 5 Conclusions

The Department completed its independent verification of EVT's peak demand reduction. EVT's M&V plan as submitted to ISO-NE was the foundation for the sampling plan and verification activities conducted by the Department. The realization rates are based on EVT's activity in program year 2009. The M&V plan was followed and the results of the evaluation are consistent with the ISO standards, as specifically discussed in this document.

## 6 References

*The California Evaluation Framework*. TecMarket Works, et. al. Project Number: K2033910. Prepared for the California Public Utilities Commission and the Project Advisory Group. September, 2004

*Coincidence Factor Study Residential and Commercial & Industrial Lighting Measures*. Prepared for New England State Program Working Group (SPWG) by RLW Analytics, Middletown, CT. Spring, 2007

*Coincidence Factor Study Residential Room Air Conditioners*. Prepared for the Northeast Energy Efficiency Partnerships' New England Evaluation and State Program Working Group by RLW Analytics, Middletown, CT. June 23, 2008

*Efficiency Vermont: 2009 Results and Savings Estimate Report*, November, 2010, available at [www.encyvermont.org](http://www.encyvermont.org)

*Final Report to the Energy Efficiency Utility Contract Administrator: Verification of EVT's 2009 Claimed Annual MWh Savings, Coincident Summer and Winter Peak Savings and Total Resource Benefit (TRB)*. Prepared by the Department of Public Service. August 13, 2010, revised August 26, 2010.

*Impact Evaluation of the Massachusetts, Rhode Island, and Vermont 2003 Residential Lighting Programs.* Nexus Market Research and RLW Analytics, 2004

*ISO New England Manual for Measurement and Verification of Demand Reduction Value from Demand Resources, Manual M-MVDR, Revision: 1 Effective Date: October 1, 2007*

*Review of ISO New England Measurement and Verification Equipment Requirements.* Prepared for Prepared for the Northeast Energy Efficiency Partnerships' Evaluation and State Program Working Group by RLW Analytics, April 24, 2008

*Sampling: Design and Analysis.* Lohr, Sharon L. Duxbury Press, 1999

*Vermont Efficiency Portfolio: Plan for Measurement and Verification of Demand Reduction Value from Energy Efficiency Resources.* Prepared by the Vermont Energy Investment Corporation for submission to ISO New England. June 15, 2007